


## BUTT WELDING MACHINE









### **Applications & Features**

- Welding ranges: plastic pipes:90mm 315mm
  (90mm 110m 125mm 140mm 160mm 180mm 200mm 225mm 250mm 280mm 315mm)
- Ranges of application: PE, PP and PVDF
- Working voltage: ~220V±10%, 50/60Hz
- Total power: 45.35kW, including: planing tool:1.1 kW, heating plate: 3.5kW, hydraulic unitmotor: 0.75kW
- PTFE coated heatingplate, adjustable knob for temperature control, difference in heating plate surface temperature <= ±5°.</li>
- Environment temperature: -10° ~ 45°
- Electronic count-down timer for heating and cooling time.
- Whole machine consists of basic frame, heating plate, planing tool, hydraulic unitand support (for planing tool & heatingplate)

### **Optional Parts**

- Stub end device for short flange.
- Crane
- Trolley



Stub end device for short flange.







### **Accessories List**

ltem	Description	Unit	Qty	Remark			
1	Basic frame	set	1				
2	Inserts	set	1	110mm~280mm			
3	Hydraulic Unit	set	1	Include high-pressure oil hose			
4	Support	set	1				
5	Planing tool	set	1				
6	Heating plate	set	1	Include connecting cable of heating plate			
Attachment with machine							
1	Tool box	Pcs	1				
2	Blade of planing tool	Pcs	2				
3	Ratchet wrench	Pcs	1	30mm			
4	Double open wrench	Pcs	1	17~19			
5	Screwdriver	Pcs	1	150mm			
7	Special bolt for clamp	Set	1	M6			
8	Operation instruction	Pcs	1				
9	Conformity certificate	Pcs	1				
Spare parts							
1	Temperature sensor	Set	1	PT100			
2	Special screw bolt	Set	1				
3	Special bolt for clamps	Set	1				
4	Startup capacitance	Set	1	100UF			
5	Work capacitance	Set	1	25UF			

# **Packing List**

#### VPWS-315

ltem	Dimension with packing (mm)	N.W (kg)	G.W (kg)	Remark
1	1120×710×720	130	150	Basic frame
2	780×630×750	56	83	Heating plate,planing tool, support, attachments and fittings
3	760×490×620	62	82	Hydraulic unit
Total	1.18 CBM	248	315	